

Dye sensitization

Syntheses of mixed ligands complexes of Ru(II) with 4,4'-dicarboxy-2,2'-bipyridine and substituted pteridinedione and the use of these complexes in electrochemical photovoltaic cells, 167

Electron transfer

Quenching of the excited singlet state of acridine and 10-methylacridinium cation by thio-organic compounds in aqueous solution, 21

Electronic absorption and emission spectra

Photoinduced rotational isomerization mechanism of 2-chlorobenzaldehyde in low-temperature rare-gas matrices by vibrational and electronic spectroscopies, 93

Energy transfer

Energy transfer in solution of lanthanide complexes, 233

EPR

EPR study of the radicals formed upon UV irradiation of ceria-based photocatalysts, 213

Excimer

Are excimers formed along with hydrated electrons in the UV excitation of cyanocuprate(I) ions in aqueous solution?, 49

Excited-state

Are excimers formed along with hydrated electrons in the UV excitation of cyanocuprate(I) ions in aqueous solution?, 49

Fluorescence

Quenching of the excited singlet state of acridine and 10-methylacridinium cation by thio-organic compounds in aqueous solution, 21

Study of the influence of substituents on spectroscopic and photoelectric properties of zinc phthalocyanines, 67

Fluorescence microscopy

A photochromic acceptor as a reversible light-driven switch in fluorescence resonance energy transfer (FRET), 177

Fluorescence probes

Synthesis and fluorescence behaviour of crown and azacrown ethers carrying the dansyl fluorophore as a pendant in acetonitrile solution, 249

Fullerene photophysics

Synthesis and optical properties of metal-centered dimeric fullerene macromolecules, 143

Green fluorescent protein

Two-photon excitation of a phytofluor protein, 13

Hydrated electron

Are excimers formed along with hydrated electrons in the UV excitation of cyanocuprate(I) ions in aqueous solution?, 49

Immobilized TiO₂ mediated processes

Silylation and sulfonation of structured supported catalysts active in the decoloration of azo-dyes under visible light, 195

Infrared spectra

Photoinduced rotational isomerization mechanism of 2-chlorobenzaldehyde in low-temperature rare-gas matrices by vibrational and electronic spectroscopies, 93

Intra-EET

Supersonic jet spectroscopy of naphthalene-fluorene bichromophoric cluster, 159

Intramolecular photocyclization

Photoreaction of 2'-chloro-4-R-benzanilide: synthesis of 2-(4-R-phenyl)-1,3-benzoxazole and 9-R-phenanthridin-6(5H)-one (R=H, CH₃, CH₃O), 115

Intramolecular photoreaction

Photoreactions of 1-*o*-substituted-aminophenyl-2-(pentamethyldisilanyl)ethynes, 125

Intramolecular photosubstitution

Photoreaction of 2'-chloro-4-R-benzanilide: synthesis of 2-(4-R-phenyl)-1,3-benzoxazole and 9-R-phenanthridin-6(5H)-one (R=H, CH₃, CH₃O), 115

Isoalloxazine

Syntheses of mixed ligands complexes of Ru(II) with 4,4'-dicarboxy-2,2'-bipyridine and substituted pteridinedione and the use of these complexes in electrochemical photovoltaic cells, 167

Kinetics

Photoactivation of dichloro(ethylenediamine)platinum(II), 37

Langmuir-Blodgett films

Long-lived photoinduced charge separation in carbazole-pyrene-viologen system incorporated in Langmuir-Blodgett films of substituted diazacrown ethers, 101

Langmuir-Hinshelwood

Photocatalytic degradation of toluene in the gas phase: comparative study of some TiO₂ supports, 207

Lanthanide(III) complexes

Energy transfer in solution of lanthanide complexes, 233

Luminescence

Energy transfer in solution of lanthanide complexes, 233

Maleimido-polyethers

Comparison of photomacrocyclization reactions of trimethylsilyl- and tributylstannyl-terminated phthalimido- and maleimido-polyethers, 77

Matrix isolation

Photoinduced rotational isomerization mechanism of 2-chlorobenzaldehyde in low-temperature rare-gas matrices by vibrational and electronic spectroscopies, 93

Merocyanine

A photochromic acceptor as a reversible light-driven switch in fluorescence resonance energy transfer (FRET), 177

Metal-ligand complex

Synthesis and optical properties of metal-centered dimeric fullerene macromolecules, 143

Molecular orbital calculations

Photoinduced rotational isomerization mechanism of 2-chlorobenzaldehyde in low-temperature rare-gas matrices by vibrational and electronic spectroscopies, 93

Molybdenum

Photodecomposition of molybdenum(II) and tungsten(II) carbonyl complexes with triazole, benz-imidazole, and oxadiazole acetylinic derivatives, 41

Nitrogen

Comparison of the processes induced by nitrogen dilution on the photodissociation of silane and disilane at 193 nm, 257

One-photon excitation

Two-photon excitation of a phytofluor protein, 13

Optical limiting

Synthesis and optical properties of metal-centered dimeric fullerene macromolecules, 143

Orange II azo-dye

Silylation and sulfonation of structured supported catalysts active in the decoloration of azo-dyes under visible light, 195

Oxygen radicals

EPR study of the radicals formed upon UV irradiation of ceria-based photocatalysts, 213

pcFRET

A photochromic acceptor as a reversible light-driven switch in fluorescence resonance energy transfer (FRET), 177

- Perfluoroacyl halide
 Photochemistry of perfluoroacyl halides in the presence of O₂ and CO, 1
- Phase transfer catalysis
 Synthesis and properties of new adducts of 2,2,6,6-tetramethylpiperidine and 2-hydroxyphenylbenzotriazole as polymer photostabilizers, 223
- Photoacoustic spectra
 Study of the influence of substituents on spectroscopic and photoelectric properties of zinc phthalocyanines, 67
- Photo-assisted immobilized Fenton processes
 Silylation and sulfonation of structured supported catalysts active in the decoloration of azo-dyes under visible light, 195
- Photocatalysis
 Photocatalytic degradation of toluene in the gas phase: comparative study of some TiO₂ supports, 207
 EPR study of the radicals formed upon UV irradiation of ceria-based photocatalysts, 213
- Photochemical synthesis
 Photochemical formation of nonlinear optical and photorefractive image in polymer layer, 187
- Photochemistry
 Photochemistry of perfluoroacyl halides in the presence of O₂ and CO, 1
 Photochemistry of cyclic vicinal tricarbonyl compounds. Photolysis of alloxan in the presence of olefins containing allylic hydrogen, 31
 Reducing the complexity of photoreaction pathway of pyrazoles: photochemistry of 4,5-cycloalkanopyrazoles, 109
- Photochromism
 Two-photon photochromism of two simple chromene derivatives, 131
 A photochromic acceptor as a reversible light-driven switch in fluorescence resonance energy transfer (FRET), 177
- Photocurrent kinetics
 Study of the influence of substituents on spectroscopic and photoelectric properties of zinc phthalocyanines, 67
- Photo-CVD
 Comparison of the processes induced by nitrogen dilution on the photodissociation of silane and disilane at 193 nm, 257
- Photodecomposition
 Photodecomposition of molybdenum(II) and tungsten(II) carbonyl complexes with triazole, benz-imidazole, and oxadiazole acetylinic derivatives, 41
- Photodegradation
 Synthesis and properties of new adducts of 2,2,6,6-tetramethylpiperidine and 2-hydroxyphenylbenzotriazole as polymer photostabilizers, 223
- Photodimerizations
 Conformational isomers in the photocyclodimerization of *N*-acylated dibenz[b,f]azepine derivatives, 85
- Photodissociation
 Photoactivation of dichloro(ethylenediamine)platinum(II), 37
- Photoelectric and nonlinear optical properties
 Photochemical formation of nonlinear optical and photorefractive image in polymer layer, 187
- Photoinduced charge separation
 Long-lived photoinduced charge separation in carbazole-pyrene-viologen system incorporated in Langmuir-Blodgett films of substituted diazacrown ethers, 101
- Photoinduced electron transfer
 Photoinduced electron transfer in crystal violet (CV⁺)-bovine serum albumin (BSA) system: evaluation of reaction paths and radical intermediates, 59
 Synthesis and optical properties of metal-centered dimeric fullerene macromolecules, 143
- Photolysis
 Photochemistry of perfluoroacyl halides in the presence of O₂ and CO, 1
- Photomacrocyclizations
 Comparison of photomacrocyclization reactions of trimethylsilyl- and tributylstannyl-terminated phthalimido- and maleimido-polyethers, 77
- Photorefractive image
 Photochemical formation of nonlinear optical and photorefractive image in polymer layer, 187
- Photostability
 Synthesis and properties of new adducts of 2,2,6,6-tetramethylpiperidine and 2-hydroxyphenylbenzotriazole as polymer photostabilizers, 223
- Photovoltaic properties
 Study of the influence of substituents on spectroscopic and photoelectric properties of zinc phthalocyanines, 67
- Phthalimido-polyethers
 Comparison of photomacrocyclization reactions of trimethylsilyl- and tributylstannyl-terminated phthalimido- and maleimido-polyethers, 77
- Phthalocyanine
 Study of the influence of substituents on spectroscopic and photoelectric properties of zinc phthalocyanines, 67
- Platinum
 Photoactivation of dichloro(ethylenediamine)platinum(II), 37
- Polycarbonyl compound
 Photochemistry of cyclic vicinal tricarbonyl compounds. Photolysis of alloxan in the presence of olefins containing allylic hydrogen, 31
- Polymer light-sensitive donor-acceptor layers
 Photochemical formation of nonlinear optical and photorefractive image in polymer layer, 187
- Polymerizable photostabilizers
 Synthesis and properties of new adducts of 2,2,6,6-tetramethylpiperidine and 2-hydroxyphenylbenzotriazole as polymer photostabilizers, 223
- Pteridinedione
 Syntheses of mixed ligands complexes of Ru(II) with 4,4'-dicarboxy-2,2'-bipyridine and substituted pteridinedione and the use of these complexes in electrochemical photovoltaic cells, 167
- Quenching
 Quenching of the excited singlet state of acridine and 10-methylacridinium cation by thio-organic compounds in aqueous solution, 21
- Rate coverage
 Photocatalytic degradation of toluene in the gas phase: comparative study of some TiO₂ supports, 207
- Relative energy
 Two-photon photochromism of two simple chromene derivatives, 131
- Sensitized luminescence
 Energy transfer in solution of lanthanide complexes, 233
- 1-Sila-1,2-propadiene
 Photoreactions of 1-*o*-substituted-aminophenyl-2-(pentamethyldisilyl)ethynes, 125
- 1-Silacyclopropene
 Photoreactions of 1-*o*-substituted-aminophenyl-2-(pentamethyldisilyl)ethynes, 125
- Silylation and Sulfonation of structured surfaces
 Silylation and sulfonation of structured supported catalysts active in the decoloration of azo-dyes under visible light, 195
- Single electron transfer
 Comparison of photomacrocyclization reactions of trimethylsilyl- and tributylstannyl-terminated phthalimido- and maleimido-polyethers, 77

- Solar cells
Syntheses of mixed ligands complexes of Ru(II) with 4,4'-dicarboxy-2,2'-bipyridine and substituted pteridinedione and the use of these complexes in electrochemical photovoltaic cells, 167
- Solvent and substituent effect
Photoreaction of 2'-chloro-4-R-benzanilide: synthesis of 2-(4-R-phenyl)-1,3-benzoxazole and 9-R-phenanthridin-6(5H)-one (R=H, CH₃, CH₃O), 115
- Spiropyran
A photochromic acceptor as a reversible light-driven switch in fluorescence resonance energy transfer (FRET), 177
- 1-*o*-Substituted-aminophenyl-2-(pentamethyldisilanyl)ethyne
Photoreactions of 1-*o*-substituted-aminophenyl-2-(pentamethyldisilanyl)ethynes, 125
- Sulfur-containing amino acids
Quenching of the excited singlet state of acridine and 10-methylacridinium cation by thio-organic compounds in aqueous solution, 21
- Supersonic jet spectroscopy
Supersonic jet spectroscopy of naphthalene-fluorene bichromophoric cluster, 159
- Terpyridine
Synthesis and optical properties of metal-centered dimeric fullerene macromolecules, 143
- Thermal deactivation
Study of the influence of substituents on spectroscopic and photoelectric properties of zinc phthalocyanines, 67
- Thermalization
Comparison of the processes induced by nitrogen dilution on the photodissociation of silane and disilane at 193 nm, 257
- Three types of flavylum salts
Why do flavylum salts show so various colors in solution? Effect of concentration and water on the flavylum's color changes, 153
- TiO₂
Syntheses of mixed ligands complexes of Ru(II) with 4,4'-dicarboxy-2,2'-bipyridine and substituted pteridinedione and the use of these complexes in electrochemical photovoltaic cells, 167
- Titanium dioxide
Photocatalytic degradation of toluene in the gas phase: comparative study of some TiO₂ supports, 207
- Titanium oxide
EPR study of the radicals formed upon UV irradiation of ceria-based photocatalysts, 213
- Toluene
Photocatalytic degradation of toluene in the gas phase: comparative study of some TiO₂ supports, 207
- Transient absorption
Two-photon photochromism of two simple chromene derivatives, 131
- Tributylstannyl-terminated
Comparison of photomacrocyclization reactions of trimethylsilyl- and tributylstannyl-terminated phthalimido- and maleimido-polyethers, 77
- Trimethylsilylacetylene
Chemical reactivity of two-photon excited trimethylsilylacetylene in aerosol particle formation with acrolein, 7
- Trimethylsilyl-terminated
Comparison of photomacrocyclization reactions of trimethylsilyl- and tributylstannyl-terminated phthalimido- and maleimido-polyethers, 77
- Tungsten
Photodecomposition of molybdenum(II) and tungsten(II) carbonyl complexes with triazole, benz-imidazole, and oxadiazole acetylinic derivatives, 41
- Two-photon excitation
Chemical reactivity of two-photon excited trimethylsilylacetylene in aerosol particle formation with acrolein, 7
- Two-photon excitation of a phytofluor protein, 13



Digitized by the Internet Archive
in 2023 with funding from
Kahle/Austin Foundation

CONTENTS direct

The FREE e-mail service which delivers Elsevier Science book and journal tables of contents directly to your PC

CONTENTS
direct

REGISTER TODAY

Sign-up is simple!

- 1** ALL YOU HAVE TO DO IS VISIT THE CONTENTSDIRECT WEBSITE
- 2** FOLLOW THE INSTRUCTIONS TO REGISTER YOUR BOOK AND JOURNAL INTERESTS ONLINE
- 3** THEN SIT BACK AND ENJOY ADVANCE E-MAIL NOTIFICATION OF THE VERY LATEST RESEARCH IN YOUR AREAS OF INTEREST

www.elsevier.com/locate/contentsdirect

AUTHORS

**If you want to make the best of your artwork
send it in the correct digital format**

All articles accepted for publication in Elsevier Science journals are processed using electronic production methods. Authors should therefore ensure that their artwork conforms to the following guidelines:

- **Colour and greyscale images** should be supplied as **TIFF** or **EPS** files (resolution 300 dpi).
- **Line drawings (black & white or colour)** should be supplied as **EPS** files

If you need help to create files in these formats, go to www.elsevier.com/locate/authorartwork/formats

Please also note:

- We still need a good quality hard copy of each figure in case the electronic file cannot be used. The hard copy and electronic file must match exactly.
- We can use floppy disks, ZIP disks or CD-ROM. Artwork files should be on a separate disk or CD to article text files.
www.elsevier.com/locate/authorartwork/media
- Only standard fonts should be used, for example: *Times, Times New Roman, Helvetica, Arial, Symbol*
www.elsevier.com/locate/authorartwork/formats
- Lines should be a minimum width of 0.5 pt.
www.elsevier.com/locate/authorartwork/linewidth
- Only standard colours should be used.
www.elsevier.com/locate/authorartwork/colours
- Lettering should be a consistent size and appropriate to the size of the figure.
www.elsevier.com/locate/authorartwork/sizing
- An image which looks acceptable on a computer may not reproduce well, so it is important to ensure that these guidelines are followed.

*Our Author Artwork website has all the information you need on
how to submit your artwork correctly. Visit it today at:*

www.elsevier.com/locate/authorartwork



ELSEVIER



NORTH
HOLLAND



PERGAMON

Guide for Authors

Submission of Papers

Authors are requested to submit their manuscripts to

Editor-in-Chief: Professor R.P. Wayne

Physical and Theoretical Chemistry Laboratory
South Parks Road
Oxford OX1 3QZ
UK

FAX: +44 (1865) 275410

E-MAIL: jphoto@physchem.ox.ac.uk

Authors in the USA and Canada may submit their manuscripts to the North American Editor:

Professor R. Schmehl

Department of Chemistry
Tulane University
New Orleans, LA 70118
USA
FAX: +1-504-865-5596
E-MAIL: russ@tulane.edu

Authors in Asia should submit their manuscripts to the Asian Editor:

Professor H. Masuhara

Faculty of Engineering
Department of Applied Physics
Osaka University
Yamadaoka 2-1
Suita, Osaka 565-0871
Japan
FAX: +81 6 6876 8580
E-MAIL: masuhara@ap.eng.osaka-u.ac.jp

The full postal address, fax and telephone numbers, and e-mail address of the corresponding author must be given on the first (title) page of the manuscript.

Contributions are accepted on the understanding that authors have obtained the necessary authority for publication. Submission of an article is understood to imply that the article is original and unpublished and is not being considered for publication elsewhere. Upon acceptance of an article by the journal, the author(s) will be asked to transfer the copyright of the article to the publisher. This transfer will ensure the widest possible dissemination of information.

Language

Papers will be published in English.

Authors in Japan please note that information about how to have the English of your paper checked corrected and improved (*before submission*) is available from: Elsevier Science Japan, Editorial Service, 1-9-15 Higashi Azabu, Minato-ku, Tokyo 106-0044, Japan; Tel.: +81-3-5561-5032; Fax: +81-3-5561-5045; E-mail: info@elsevier.co.jp

Manuscript Preparation

Three copies of the manuscript should be submitted, in double-spaced typing on pages of uniform size with a wide margin on the left. Some flexibility of presentation will be allowed but authors are urged to arrange the subject matter clearly under headings such as Introduction, Experimental details, Results, Discussion, etc. References should be numbered consecutively (numerals in square brackets) throughout the text and collected together in a reference list at the end of the paper. Journal titles should be abbreviated according to the Chemical Abstracts Service Source Index, 1970 edition, and supplements. The abbreviated title should be followed by volume number, year (in parentheses) and page number. Authors are reminded that delays in publication may occur if the instructions for submission and disk and manuscript preparation are not strictly followed. Authors are strongly recommended to submit disks to aid rapid processing. To facilitate communication, authors are requested to provide their current e-mail address, phone and fax number.

Illustrations

Line drawings and cyclic or aromatic formulae should be in a form suitable for reproduction, drawn in Indian ink on drawing paper. They should preferably all require the same degree of reduction, and should be submitted on paper of the same size as, or smaller than, the main text to prevent damage in transit. Photographs should be submitted as clear black-and-white prints on glossy paper. Each illustration must be clearly numbered. "Quantity calculus" notation should be used for the labelling of the graph axes. Legends to the illustrations must be submitted in a separate list. All tables and illustrations should be numbered consecutively and separately throughout the paper.

Offprints

Fifty offprints are provided free of charge to the corresponding author. Extra offprints can be ordered at prices shown on the offprint order form.

Further Information

When the article has been accepted for publication and is in production, contact Elsevier Science at: authorsupport@elsevier.ie for author information: manuscript status may also be tracked using Elsevier's Author Gateway (<http://authors.elsevier.com>). Authors can also keep a track on the progress of their accepted article, and set up email alerts informing them of changes to their manuscript's status, by using the "Track a Paper" feature of Elsevier's Author Gateway (<http://authors.elsevier.com>).



Authors did you know...

■ Your article published with Elsevier Science is also included in ScienceDirect, the world's largest scientific network, reaching over 9 million scientists and researchers at www.sciencedirect.com.

■ If your institute or organisation currently subscribes to ScienceDirect, you now have access to the full text of those journals in your subscription package at your desktop.

■ ScienceDirect allows you to keep track of citations to your article via e-mail. You can set up a personal profile to ensure you are kept up-to-date with publications in your specialist areas of research.

■ The publication of your article is announced in advance to thousands of registrants to our FREE e-mail alerting service **ContentsDirect**. Find out more by accessing www.elsevier.com/locate/contentsdirect

■ Your article will be available in the ScienceDirect electronic archive and as such accessible to the millions of scientists visiting our database for an unlimited period of time.

ScienceDirect provides the articles **you** need for **your** research – www.sciencedirect.com



To find out more about publishing your article with Elsevier Science, access www.elsevier.com/homepage/authors



1010-6030(20020726)150:1-3;1-U